

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:46
S2	87	S1 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:47
S3	726	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S4	121	S3 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S5	197	S2 or S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:10
S6	33	S5 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S7	24	S6 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S8	0	S7 and (fetch with message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12

EAST Search History

S9	0	S8 and (get with (request or response))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12
S10	0	S7 and (proxy adj agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S11	2	S7 and (agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S12	0	S7 and (prescribable adj action)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S13	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S14	87	S13 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S15	727	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S16	121	S15 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22

EAST Search History

S17	197	S14 or S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S18	33	S17 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S19	24	S18 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S20	16	S19 and ((encod\$3 or encipher\$3 or encrypt\$3) with (network or tcp or ip or snmp or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S21	2	"5651006".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S22	76	snmp with ("version 1" or "v1")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:35
S23	4	S22 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:35
S24	1900	(encod\$3 with (((network or tcp or ip or snmp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 11:27

EAST Search History

S25	280	S24 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 11:27
S26	11	S25 and ((encrypt\$3 or encipher\$3 or cryptograph\$6) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:22
S27	13015	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S28	37	S27 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:23
S29	10	S28 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S30	100	("6468688" "4805324" "5745867" "5289471" "5400320" "5996020" "6272141" "6704323" "6055559" "6798763" "6437146" "5873071" "6044468" "6085237" "5949974" "6078646" "5561769" "5577204" "5704041" "5708964" "5778183" "5859975" "6041110" "6138162" "6173311" "6286040" "6385728" "6711613" "6728768" "6854011" "6058180" "6195424" "5790917" "6430610" "3573381" "4766534" "4845744" "5343468" "5497422" "5504743" "5548639" "5574931" "5586261" "5745680" "5822431" "5838790" "5870563" "5881243" "5905765" "5940390").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39

EAST Search History

S31	72	S30 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39
S32	14	S31 and (encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:44
S33	2	"6424714".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:51
S34	2	"5870474".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:08
S35	2	"5481542".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:10
S36	2	"5420866".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:10
S37	46	snmp with ("proxy agent")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:58
S38	7	S37 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 11:29

EAST Search History

S39	3	S38 and (agent with (software or application))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 11:30
S40	6	("5870474" or "5678006" or "5651006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 15:47
S41	2	"6188768".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:28
S42	444	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S43	87	S42 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S44	869	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S45	127	S44 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S46	203	S43 or S45	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06

EAST Search History

S47	34	S46 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S48	34	S46 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S49	24	S48 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S50	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S51	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S52	40	S51 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S53	10	S52 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S54	5904	380/255,269.ccls. or 705/50-51. ccls. or 713/150-153,168,189,160. ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:02

EAST Search History

S55	654	S54 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S56	6317	(encod\$3 or wrap\$4 or encapsulat\$3) with (network or snmp or atm or tcp) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S57	667	S56 and ((cryptograph\$6 or encrypt\$3 or hash\$3) with (encod\$3 or encapsulat\$3 or wrap\$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S58	1	S57 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S59	5	S57 and S55	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:08
S60	10512	(encod\$3 with (encrypt\$3 or cryptograph\$6) with encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S61	1841	S60 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:09
S62	6	S61 and (request\$3 with fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:13

EAST Search History

S63	6	(encod\$3 or encapsulat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S64	1	S63 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S65	29	(translat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S66	0	S65 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S67	898	encod\$3 with first with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:15
S68	450	S67 and (encod\$3 with (second or different) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:15
S69	87	S68 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:29
S70	4	S69 and snmp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:16

EAST Search History

S71	139	snmp with (set adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:30
S72	85	S71 and (get adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:31
S73	10	S72 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S74	188	(encod\$3 with snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S75	10	S74 and ((encrypt\$3 or cryptograph\$3) with (packet or message or data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S76	0	S75 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S77	17	S74 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S78	0	S77 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with (protocol or snmp))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:59

EAST Search History

S79	58	(encod\$3 with (encrypt\$3 or cryptograph\$6) with (reencod\$3 or "re-encode" or "re-encoding"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S80	5	S79 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S81	12813	((reencod\$3 or reencapsulat\$3 or rewrap\$4) or ((multiple or second\$3) adj (encod\$3 or encapsulat\$3 or wrap\$4)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S82	4826	S81 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S83	107	S82 and ((cryptograph\$6 or encrypt\$3) with (message or data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:44
S84	0	twice with encod\$3 with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S85	0	twice with encod\$3 with (snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S86	7	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45

EAST Search History

S87	190	encod\$3 with "without" with (decrypt\$3 or decipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:47
S88	17	S87 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S89	5	(encapsulat\$3) with (encrypt\$3 or encipher\$3) with (packet or message or data) with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S90	0	S89 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50